

# TIDier checklist ✓

## DISCLAIMER :

This checklist is meant only for academic reference purpose only. We acknowledge the author and the publisher



[pubrica.com](https://pubrica.com)



(UK) +44 161 394 0786  
(IN) +91 98843 50006  
(USA) +1-972-502-9262



[sales@pubrica.com](mailto:sales@pubrica.com)

## The TIDieR (Template for Intervention Description and Replication) Checklist\*:

Information to include when describing an intervention and the location of the information

Item number	Item	Where located **	
		Primary paper (page or appendix number)	Other † (details)
1.	<p><b>BRIEF NAME</b> Provide the name or a phrase that describes the intervention.</p>	_____	_____
2.	<p><b>WHY</b> Describe any rationale, theory, or goal of the elements essential to the intervention.</p>	_____	_____
3.	<p><b>WHAT</b> Materials: Describe any physical or informational materials used in the intervention, including those provided to participants or used in intervention delivery or in training of intervention providers. Provide information on where the materials can be accessed (e.g. online appendix, URL).</p>	_____	_____
4.	<p>Procedures: Describe each of the procedures, activities, and/or processes used in the intervention, including any enabling or support activities.</p>	_____	_____
5.	<p><b>WHO PROVIDED</b> For each category of intervention provider (e.g. psychologist, nursing assistant), describe their expertise, background and any specific training given.</p>	_____	_____
6.	<p><b>HOW</b> Describe the modes of delivery (e.g. face-to-face or by some other mechanism, such as internet or telephone) of the intervention and whether it was provided individually or in a group.</p>	_____	_____
7.	<p><b>WHERE</b> Describe the type(s) of location(s) where the intervention occurred, including any necessary infrastructure or relevant features.</p>	_____	_____

	<b>WHEN and HOW MUCH</b>		
8.	Describe the number of times the intervention was delivered and over what period of time including the number of sessions, their schedule, and their duration, intensity or dose.	_____	_____
	<b>TAILORING</b>		
9.	If the intervention was planned to be personalised, titrated or adapted, then describe what, why, when, and how.	_____	_____
	<b>MODIFICATIONS</b>		
10.†	If the intervention was modified during the course of the study, describe the changes (what, why, when, and how).	_____	_____
	<b>HOW WELL</b>		
11.	Planned: If intervention adherence or fidelity was assessed, describe how and by whom, and if any strategies were used to maintain or improve fidelity, describe them.	_____	_____
12.‡	Actual: If intervention adherence or fidelity was assessed, describe the extent to which the intervention was delivered as planned.	_____	_____

\*\* **Authors** - use N/A if an item is not applicable for the intervention being described. **Reviewers** – use ‘?’ if information about the element is not reported/not sufficiently reported.

† If the information is not provided in the primary paper, give details of where this information is available. This may include locations such as a published protocol or other published papers (provide citation details) or a website (provide the URL).

‡ If completing the TIDieR checklist for a protocol, these items are not relevant to the protocol and cannot be described until the study is complete.

\* We strongly recommend using this checklist in conjunction with the TIDieR guide (see *BMJ* 2014;348:g1687) which contains an explanation and elaboration for each item.

\* The focus of TIDieR is on reporting details of the intervention elements (and where relevant, comparison elements) of a study. Other elements and methodological features of studies are covered by other reporting statements and checklists and have not been duplicated as part of the TIDieR checklist. When a **randomised trial** is being reported, the TIDieR checklist should be used in conjunction with the CONSORT statement (see [www.consort-statement.org](http://www.consort-statement.org)) as an extension of **Item 5 of the CONSORT 2010 Statement**. When a **clinical trial protocol** is being reported, the TIDieR checklist should be used in conjunction with the SPIRIT statement as an extension of **Item 11 of the SPIRIT 2013 Statement** (see [www.spirit-statement.org](http://www.spirit-statement.org)). For alternate study designs, TIDieR can be used in conjunction with the appropriate checklist for that study design (see [www.equator-network.org](http://www.equator-network.org)).